

Instructions for GenEDITS Plus

Table of Contents

Download GenEDITS2

Instructions for Downloading the Metafiles4

Configure Your Settings.....7


Edit Options.....8

Instructions for GenEDITS Plus


GenEDITS Plus version 4.0 is now available. It can only be used for 2015 and 2016 data submission. Before downloading GenEDITS Plus version 4.0, uninstall previous version of GenEDITS Plus. Then, download the installation file GenEDITS Plus version 4.0 to your Windows desktop.

Installation Instructions for GenEDITS Plus 4

1. After you have downloaded the installation software from the host site (i.e. ASCR or NPCR's website) you will need to install the GenEDITS Plus version 4.0 by double clicking setup_geplus4_1.0.0.exe's icon to begin the setup program. **If you have an administrator for your computer please consult him or her before proceeding with these steps.**




2. You should get this message:



3. Click "Run" for the next action. You should see the Welcome to the GenEDITSPlus Setup Wizard.



4. Follow the Wizard's instructions. Once the Wizard is finished, you will the main page of GenEDITS Plus. Instructions for using GenEDITS Plus are in the online help within the program. Click the Help button for a description of the functions and controls.




Instructions for Downloading the Metafiles

Edits for GenEDITS operate from a metafile. For NAACCR_V16D, you may go to the from [Hospital Resources page of ASCR](#) to download to your computer's C:\RegPlus\GenEDITSplus\metafiles. You will need to unzip it once it is downloaded. Download the configuration file ASCR16.ini from Hospital Resources page and unzip it to C:\RegPlus\GenEDITSplus\config


Instructions for Running Edits

1. Open GenEDITS Plus (a shortcut should be created in desktop).
2. Go to the "Run Edits" Tab in the GenEDITS Plus program. If you did not see any edit sets listed in the "Edit Sets" Section of the Run Edits tab, you will need to upload the metafile (see instructions above for downloading the metafile). If you do see Edits in the Edits Sets area go to step 5 below.




3. To obtain the edit sets you will need to upload the metafile. Click the "Browse" button on the Run Edits Tab next to the Metafile Name.
4. Locate where your computer has stored or your

Computer has downloaded NAACCR-ASCR_V16D.rmf metafile. Select that file and click “open”




The metafile will upload and your GenEDITSPlus should look like this with a selection of “Edit Sets” available. You will then select the ASCR:v16D NPCR/Hosp then Your Run EDITS tab should look like this:

5. The metafile will upload and your GenEDITSPlus should look like this with a selection of “Edit Sets” available. You will then select the ASCR:v16D NPCR/Hosp



Configure Your Settings:

In the “Report Configuration” tab, you can select fields used to identify patients in the report, and fields used for sorting in the report. You can also customize the report’s file name and titles.



In the “Run EDITS” tab, click on Browse in the Data File Name line to select the file you want to run, and then click on “Run Edits”. When the run finished, you can choose a report style (Detailed, Summary, or Combined) and then click the “Generate Report” button to create your report.

Run EDITS
Button

Edit Options:

You may also customize your GenEdits to suppress edits.

Note: *This is Highly Recommended if you are a CoC facility. CoC has required all of their facilities to add the c and p to **all T, N, and M edits** in their database. ASCR does not require c's and p's on the T, N, and M fields for cases diagnosed prior to 2016, in order for ASCR to run the files from the CoC facilities until the v16 software is available that will automatically strip them off. **CoC facilities do not need to run this edit** as this CoC edits forces the c's and p's for all years. In order for CoC facilities to run edits with no errors for pre2016 cases, you will need to suppress the T, N, M edits.*

Step 1:


In Gen Edits, select the ASCR:v16D NPCR/Hosp on the *Run EDITS* tab.

GenEDITS Plus

File Report Help

Run EDITS | Report Configuration | Edit Options | Data Display

Metafile Name: C:\RegPlus\geplus4\metafiles\NAACCRR_v16D.mf Browse

Record Layout: NAACCR DATA EXCHANGE VS 16 

Edit Sets: ASCR: v16D NPCR/Hosp

Data File Name: C:\RegPlus\geplus4\data\done20170222TestPurposes - Copy.dat Browse

Config File: C:\RegPlus\geplus4\config\ASCR16.ini Browse

User Options

Record Type: A NAACCR Record Version: 160

Start Editing at Record: 1

Stop Editing after Record: 2

☐ Report Counts Only

Edit Set Options

☐ Skip Empty

☐ Skip Failed

☐ Suppress Warnings

Edit Sets

- ☐ ASCR: v16D Interstate
- ☐ ASCR: v16D NPCR/Consol
- ☒ ASCR: v16D NPCR/Hosp
- ☐ ASCR: v16D NPCR/PrepPlus-CRS
- ☐ ASCR: v16D Webplus

This field limits the number of error records displayed in the Detailed report only. Errors are still included in the total error count.

Detailed Error Limit: 0

Setting this value to 0 removes the limit.

Run EDITS

Records Processed: 2 Records with Errors: 2 Messages Reported: 16 Time Remaining:

Step 2:

Select the Edits Options Tab

Edit Name	Use Edit Set Options	Suppress Edit	Skip Empty	Skip Failed	No Skips
Abstracted By (NAACCR)	yes				
Addr at DX-City (NAACCR)	yes				
Addr at DX-Country (NAACCR)	yes				
Addr at DX-Country, Date of Diagnosis (NAACCR)	yes				
Addr at DX-Country, State (NAACCR)	yes				
Addr at DX-No/Street (NAACCR)	yes				
Addr at DX-Postal Code (NAACCR)	yes				
Addr at DX-Postal Code, Addr at DX-State (COC)	yes				
Addr at DX-State (NAACCR)	yes				
Addr at DX-State, Postal Code Range (NAACCR)	yes				
Addr Current-Country, Date of Diagnosis (NAACCR)	yes				
Addr Current-Country, State (NAACCR)	yes				
Addr Current-State (COC)	yes				
Age at Diagnosis (SEER AGEDx)	yes				
Age, Birth Date, Date of Diagnosis (NAACCR IF13)	yes				
Age, Histologic Type, COD, ICD03 (SEER IF43)	yes				
Age, Primary Site, Morph ICD03-Adult (SEER)	yes				
Age, Primary Site, Morph ICD03-Pediatric (NPCR)	yes				
Age, Primary Site, Morphology ICD03 (SEER IF15)	yes				
Autopsy Only, RX (NPCR)	yes				
Behav ICD03, Date of DX, ICD03 Conv Flag (SEER IF87)	yes				
Behavior ICD02, Date of Diagnosis (NAACCR)	yes				
Behavior ICD03 (COC)	yes				
Behavior ICD03 Conversion (NAACCR)	yes				

Step 3: Select the T, N, and M Edits and click the “Suppress Edit” column box on the same row as the edit. You will get a “yes” in the box to indicate the edit is suppressed.

Edit Name	Use Edit Set Options	Suppress Edit	Skip Empty	Skip Failed	No Skips
Text-Dx Proc-Path, Diagnostic Confirm (NAACCR)	yes				
Text-Histology Title (NAACCR)	yes				
Text-Primary Site Title (NAACCR)	yes				
TNM Clin Descriptor, Date of Diagnosis (NPCR)		yes			
TNM Clin Descriptor, TNM Fields (NPCR)		yes			
TNM Clin M, Date of Diagnosis (COC)		yes			
TNM Clin Stage Group, Date of Diagnosis (SEER)		yes			
TNM Clin Stage Group, TNM Items, ICD03 (COC)		yes			
TNM Clin Stage Group, TNM Path Stage Group (COC)		yes			
TNM Clin Stage Group, TNM Path Stage Group (NAACCR)		yes			
TNM Edition Number, Date of Diagnosis (NPCR)		yes			
TNM Edition Number, TNM Fields (NPCR)		yes			
TNM Edition, TNM Clin Stage, TNM Path Stage (COC)		yes			
TNM Path Descriptor, Date of Diagnosis (NPCR)		yes			
TNM Path Descriptor, TNM Fields (NPCR)		yes			
TNM Path M, Date of Diagnosis (COC)		yes			
TNM Path M, Date of Diagnosis (COC)		yes			
TNM Path Stage Group, Date of Diagnosis (COC)		yes			
TNM Path Stage Group, Prim Site, Surg - Ed 7 (CoC)		yes			
TNM Stage, Date Dx, Type Report Source (NPCR)		yes			
TNM T, N, M - No Primary Found (CoC)		yes			
TNM T, SSF 12, Tumor Size, Carcinoma of Skin (COC)		yes			
Tumor Size Summary (NPCR)		yes			
Tumor Size Summary, Date of Diagnosis (NPCR)	yes				